
Overview

The HP H220 Host Bus Adapter is a 2X4 internal ports HBA provides customers with the flexibility and speed they have come to expect from HP. The H220 provides support for both 6 Gb SAS and SATA Hard Disk Drives. In addition, H220 HBA controller provides support for SAS tape drives. This SAS HBA is ideal for driving cost-effective and reliable scalability in today's data centers.



Model

Host Bus Adapter HP H220 Host Bus Adapter

650933-B21

Kit contents

- HP H220 Host Bus Adapter
- Low profile controller bracket



Compatibility

Compatibility

Servers

ProLiant DL (rack-optimized):

- HP ProLiant DL160 Gen8
- HP ProLiant DL320e Gen8
- HP ProLiant DL360e Gen8
- HP ProLiant DL380e Gen8
- HP ProLiant DL380p Gen8
- HP ProLiant DL385p Gen8
- HP ProLiant DL560 Gen8

ProLiant ML (expansion-optimized):

- HP ProLiant ML310e Gen8
- HP ProLiant ML310e Gen8 v2
- HP ProLiant ML350e Gen8
- HP ProLiant ML350p Gen8

ProLiant SL (scalable system):

- HP ProLiant SL210t Gen8
- HP ProLiant SL250s Gen8
- HP ProLiant SL270s Gen8

NOTE: This is a list of supported servers. Some may be discontinued.



Standard Features

Performance

Designed to be as flexible as HP servers, HP H220 Host Bus Adapter provides support for the tape drives and both SAS and SATA HDDs. The HP adapter delivers exceptional system performance, with eight 6 Gb/s SAS ports providing up to 48 Gb/s total storage bandwidth.

HP Server Integration

Fully integrated and tested with ProLiant servers and management software.

Key Features

- SAS technology delivers high performance and data bandwidth up to 6 Gb/s per physical link
- Mix-and-match SAS and SATA hard drives; deploy drive technology as needed
- PCIe x8 (8 GB/s bandwidth)
- PCIe 3.0 x8 capable

Ports

Eight (8) SAS physical links distributed across 2 x4 internal Mini-SAS connectors

Performance

HP's High Performance Architecture sets new boundaries for industry performance expectations!

- 6 Gb/s SAS (bandwidth per physical link)
- 48 Gbps total available bandwidth (8 physical links x 6Gbps)
- PCIe 3.0 host interface x8 (8 GT/s bandwidth)

Capacity

Fulfilling the need for high performance and capacity expansion, the HP H220 SAS HBA offers:

- Eight 6 Gbps SAS physical links supporting up to 2 simultaneous x4 Wide SAS Ports
- Capacity up to 42 TB of SAS or 42 TB SATA

Form Factor

Either high-profile or low-profile PCIe 3.0 slots. (parts included with option)

Operating Systems

Microsoft Windows Server 2012

Microsoft Windows Server 2008 SP2

Microsoft Windows Server 2008 R2 with SP1

Microsoft Windows Hyper-V, R2 with SP1

Red Hat Enterprise Linux 5

Red Hat Enterprise Linux 6

Red Hat Enterprise Linux 5.8

Red Hat Enterprise Linux 6.2

SUSE Linux Enterprise Server 10

SUSE Linux Enterprise Server 11

Solaris 10

VMware ESX 4.1 and ESXi 4.1 update U2

VMware ESXi 5.0

NOTE: For more Linux OS support & certification information, please visit our the ProLiant & BladeSystem

Server Linux matrix: http://h18004.www1.hp.com/products/servers/linux/hplinuxcert.html



Standard Features

Off Line HP Smar

HP Smart Component for HP H220 Host Bus Adapter

Warranty

The warranty for this device is 1 year parts only.

Warranty Upgrade Options

- Response Upgrade on-site response from next business day to same day 4 hours
- Coverage Extend hours of coverage from 9 hours x 5 days to 24 hours x 7 days
- Duration Select duration of coverage for a period of 1, 3, or 5 years
- Warranty upgrade options can come in the form of Care Packs, which are sold at the HP System level this product attaches too



Service and Support

Service and Support

HP Technology Services

HP Technology Services offers you technical consultants and support expertise to solve your most complex infrastructure problems. We help keep your business running, boost availability, and avoid downtime.

Protect your business beyond warranty with HP Care Pack Services

When you buy HP Options, it's also a good time to think about what level of service you may need. HP Care Pack services provide total care and support expertise with committed response choices designed to meet your IT and business need.

HP Foundation Care services deliver scalable support-packages for HP industry-standard servers and software. You can choose the type and level of service that is most suitable for your business needs. New to this portfolio is HP Collaborative Support. If you are running business critical environments, HP offers Proactive Care or Critical Advantage. These services help you deliver high levels of application availability through proactive service management and advanced technical response.

Here is the support service recommendation from the Foundation Care and Proactive Care portfolio. For customized support service solution, HP can work with you to tailor a service solution for your unique support requirements using broader services portfolio of Foundation Care and Proactive Care.

Recommended HP Care Pack Services for optimal satisfaction with your HP product

Recommended Services

3-Year HP 24x7 4 hour Response, Proactive Care

Helps optimize your systems and delivers high levels of application availability through proactive service management and advanced technical response. A skilled Technical Manager will own your query or issue end to end until resolved, delivering a single point of contact for you

OR

3-Year HP 24x7 4 hour Response, HP Collaborative Support

Provides problem resolution support across the stack of HW, firmware, and HP and 3rd party SW. In case the issue is with 3rd party SW, HP does known issue resolution. If HP cannot solve the issue, it will contact the third-party vendor and create a problem incident on your behalf http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-8232ENW.pdf

HP Installation of ProLiant Add On Options Service

This easy-to-buy, easy-to-use HP Care Pack service helps ensure that your new HP hardware or software is installed smoothly, efficiently, and with minimal disruption of your IT and business operations



Service and Support

Related HP Care Pack Services to enhance your HP product experience

Related Services

3-Year HP 24x7 4 hour Response, Proactive Care

Helps optimize your systems and delivers high levels of application availability through proactive service management and advanced technical response. A skilled Technical Manager will own your query or issue end to end until resolved, delivering a single point of contact for you

OR

3-Year HP 24x7 4 hour Response, Hardware Support Onsite Service

Provides you with rapid remote support and if required an HP authorized representative who will arrive on site any time and day of the year to begin hardware maintenance service within 4 hours of the service request being logged

http://h20195.www2.hp.com/V2/GetPDF.aspx/5982-6547EEE.pdf

3-Year HP 6-hour Onsite Call-to-Repair, HP Collaborative Support

Offers customers a single point of contact for server problem diagnosis, hardware problem resolution to return the hardware in operating condition within 6 hours of the initial service request to the HP Global Solution Center, and basic software problem diagnosis, fault isolation, and resolution if available to HP. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-8232ENW.pdf

HP Proactive Select Service

Provides a flexible way to purchase HP best-in-class consultancy and technical services. You can buy Proactive Select Service Credits when you purchase your hardware and then use the credits over the next 12 months. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-3842ENN.pdf

Insight Remote Support

Provides 24 X 7 remote monitoring, proactive notifications, and problem resolution. Learn more http://www.hp.com/go/insightremotesupport

HP Support Center

Personalized online support portal with access to information, tools and experts to support HP business products. Submit support cases online, chat with HP experts, access support resources or collaborate with peers. Learn more http://www.hp.com/go/hpsc

HP's Support Center Mobile App* allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime. HP Insight Remote Support and HP Support Center are available at no additional cost with a HP warranty, HP Care Pack or HP contractual support agreement.

*HP' Support Center Mobile App is subject to local availability

Parts and materials

HP will provide HP-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements. Supplies and consumable parts will not be provided as part of this service; standard warranty terms and conditions apply. Parts and components that have exceeded their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual or the technical product data sheet will not be provided, repaired or replaced as part of this service.



Service and Support

Warranty / Service Coverage

For ProLiant servers and storage systems, this service covers HP-branded hardware options qualified for the server, purchased at the same time or afterward, internal to the enclosure, as well as external monitors up to 22" and tower UPS products; these items will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been exceeded. Coverage of the UPS battery is not included; standard warranty terms and conditions apply.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by HP due to malfunction. It does not apply to any exchange of Disk or SSD/Flash Drives that have not failed. SSD/Flash Drives that are specified by HP as consumable parts and/or that have exceeded maximum supported lifetime and/or the maximum usage limit as set forth in the manufacturer's operating manual or the technical data sheet are not eligible for the defective media retention service feature option.

For more information

To learn more on services for HP ESSN Options, please contact your HP sales representative or HP Authorized Channel Partner. Or visit: http://www.hp.com/services/proliant or www.hp.com/services/bladesystem



Related Options

NOTE: This is a list of supported options. Some may be discontinued.

	T	Drives	
ни	, i and	IIITIWAC	
	Iave	DIIVES	

DAT Tape Drives

HP StoreEver DAT 160 SAS Internal Tape Drive		
LTO Ultrium Tape Drives		
HP StoreEver LTO-2 Ultrium 448 SAS Internal Tape Drive	DW085A	
HP Ultrium 920 SAS Internal Tape Drive		
HP StoreEver LTO-4 Ultrium 1760 SAS Internal WW Tape Drive	EH919A	
HP LTO-4 Ultrium 1760 SAS (1) in 1U Rack-mount Kit	EH946A	
HP StoreEver LTO-4 Ultrium 1840 SAS Internal Tape Drive	EH860A	
HP StoreEver LTO-5 Ultrium 3000 SAS Internal Tape Drive	EH957A	
HP StoreEver LTO-5 Ultrium 3280 SAS Internal Tape Drive	EH899A	
Rack-mount Tape Drive Enclosures		
HP 1U SAS Rack-mount Kit	AE459A	
NOTE: The 1U SAS Rack-Mount Kit can support up to (2) half-height tape drives and is		
compatible with the DAT 160 SAS, LTO-2 Ultrium 448 SAS, LTO-3 Ultrium 920 SAS and		
LTO-4 Ultrium 1760 SAS tape drives.		
HP 3U SAS Rack-mount Kit	AG576A	
NOTE: The 3U Rack-mount Kit can support up to (2) full-height or (4) half-height tape		
drives and compatible with multiple SAS tape drives including DAT 160 SAS, LTO-2		
Ultrium 448 SAS, LTO-3 Ultrium 920 SAS, LTO-4 Ultrium 1760 SAS and LTO-4 Ultrium		
1840 SAS tape drives.		
SAS Cables for Tape Drives and Automation		
HP Mini-SAS Cable for LTO Internal Tape Drive	AP746A	
NOTE: Use this cable to connect HP Ultrium 448, 920, 960, 1760 and 1840 SAS internal		
tape drives to Mini-SAS (SFF8087) ports. This replaces the existing cable connecting the		
HBA/controller to the disk backplane. This replacement cable has three channels for		
disks and 1 channel for the tape drive (SFF8482 port).	454504	
HP SAS Min-Min 1x-2M Cable Assembly Kit	AE470A	
NOTE: Use this cable to connect HP SAS external tape devices to HP SAS controllers with external Mini-SAS (SFF8088) connectors.		
	A F 4 C F A	
HP SAS MIN-MIN 1X-4M Cable Assembly Kit NOTE: Use this cable to connect HP SAS external tape devices to HP SAS controllers with	AE465A	
external Mini-SAS (SFF8088) connectors.		
HP SAS MIN-MIN 3X1X-5M Cable Assembly Kit	AG452A	
NOTE: This split cable connects internally to SAS Hard Drive Cage (3 channels) and	AU45ZA	
externally to the tape drive (1channel) with other connector attaching to the controller.		
The external cable, for the drive, requires a PCI slot to exit the server.		
HP 2m External Mini-SAS to 4x1 Mini-SAS Cable	AN975A	
NOTE: One cable is required for every four drives. Use this cable to connect HP MSL SAS		
4		



NOTE: One cable is required for every four drives. Use this cable to connect HP MSL SAS

Tape Libraries to Mini-SAS (SFF8088) ports. HP 4m External Mini-SAS to 4x1 Mini-SAS Cable

Tape Libraries to Mini-SAS (SFF8088) ports.

AN976A

Technical Specifications

Dimensions (excluding 6.6 x 2.7 x 0.6 in (16.8 x 6.86 x 1.6 cm)

bracket)

Disk Drive and Enclosure 6 Gbps SAS (Serial Attached SCSI)

Protocol Support 3 Gbps SATA (Serial Advanced Technology Attachment)

Architecture Serial Attached SCSI (SAS)

Serial Advanced Technology Attachment (SATA)

PCIe 3.0 x8

SAS Connectors 2x4 internal

Data Transfer Method 2.4 GB/s per port for combined throughput of up to 48 Gb/s

PCIe Bus Speed PCIe 3.0 x8 (8 GT/s maximum bandwidth)

Simultaneous Connection 2 x 4 Wide SAS Connectors

Transfer Ports

Port Transfer Rate 48 Gb/s per x8 Wide SAS Port (8 x 6 Gb/s)

Yes

Software upgradeable

Firmware

Maximum Capacity 42 TB SAS, 42 TB SATA

Memory Addressing 64-bit, supporting servers memory greater than 4 GB

Upgradeable Firmware 4-MB flashable ROM **Disk Drive and Enclosure** 6 Gb/s SAS / SATA

Protocol Support

Environment-friendly Products and Approach

and Recycling

End-of-life Management Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: http://www.hp.com/go/green. To recycle your product, please go to: http://www.hp.com/go/green or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

> The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/green. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

© Copyright 2013 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For hard drives, 1GB = 1 billion bytes. Actual formatted capacity is less.

