### Overview

The HP Dual Port Converged Network Adapters (CNAs) are dual port adapters that provide Ethernet, iSCSI, and Fibre Channel (FC) connectivity over 10GbE using both Fibre Channel over Ethernet (FCoE) and Converged Enhanced Ethernet (CEE) standards. By consolidating Ethernet, iSCSI, and Fibre Channel onto a converged network adapter, HP CNAs reduce the number of separate adapters and cables required for your datacenter and also reduce operational, power and cooling costs while preserving existing Ethernet and Fibre Channel infrastructure. HP CNAs have been thoroughly tested with HP ProLiant servers and HP Top of Rack (ToR) and End of Row (EoR) switches to ensure an optimal HP FCoE solution for your datacenter.

### What's New

• CN1100R HP StoreFabric Dual Port Converged Network Adapters

## **Key Features and Benefits**

Converged Infrastructure Ethernet, iSCSI, and Fibre Channel in one adapter

	<ul> <li>Combines the functionality of a NIC (Ethernet), iSCSI, and Fibre Channel onto a single converged network adapter reducing the number of adapters and cables and reducing acquisition and operational costs</li> </ul>
Reliability	Converged Enhanced Ethernet reliability standards
	• Sends Fibre Channel data packets via Fibre Channel over Ethernet (FCoE) using Converged Enhanced Ethernet (CEE) standards ensuring high standards of data integrity and lossless Ethernet.
Provides HP ProLiant	Robust interoperability testing
Connectivity to Storage and Networks	<ul> <li>Provides an HP-branded CNA solution which has undergone extensive HP interoperability testing for connecting HP ProLiant servers into storage and networking environments.</li> <li>Optimal for connecting to HP's Top of Rack (ToR) 5820X, B-series and C-series FCoE Converged Network Switches. NOTE: CN1100R does not support 5820X.</li> </ul>
Flexible Connect	Optical or direct attach copper cables

• Choose between SFP+ SR (optical) or direct attach copper cable connectivity allowing maximum flexibility in connecting to HP FCoE Converged Network Switches.



### Models

	Description	Part Number
CN1100E	HP CN1100E Dual Port Converged Network Adapter	BK835A
CN1000E	HP CN1000E Dual Port Converged Network Adapter	AW520B
CN1000Q	HP CN1000Q Dual Port Converged Network Adapter	BS668A
CN1100R	HP StoreFabric CN1100R Dual Port Converged Network Adapter	QW990A
	<b>NOTE:</b> A minimum of two Gigabytes (2 GB) of server memory is required per each adapter. <b>NOTE:</b> Direct Attach Cable (DAC) for copper environments or fiber transceivers and	
	cables for fiber-optic environments must be purchased separately.	

### **Copper Cables and SFP+ Ethernet Optical Modules (SR)**

AP784A AP785A QK701A QK702A <b>Part Number</b> JD095C JD097C JG081C <b>Part Number</b> 455883-B21
AP785A QK701A QK702A <b>Part Number</b> JD095C JD096C JD097C JG081C
AP785A QK701A QK702A <b>Part Number</b> JD095C JD096C JD097C
AP785A QK701A QK702A <b>Part Number</b> JD095C JD096C JD097C
AP785A QK701A QK702A <b>Part Number</b> JD095C JD096C JD097C
AP785A QK701A QK702A <b>Part Number</b> JD095C
AP785A QK701A QK702A <b>Part Number</b>
AP785A QK701A QK702A
AP785A QK701A
AP785A QK701A
AP785A
AP784A
Part Number
AP820A
AP819A
AP818A
Part Number

<b>NOTE:</b> Refer to product release notes for more information regarding support of specific cables.	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 1m Cable HP Premier Flex LC/LC Multi-mode OM4 2 fiber 2m Cable HP Premier Flex LC/LC Multi-mode OM4 2 fiber 5m Cable	QK732A QK733A QK734A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 15m Cable HP Premier Flex LC/LC Multi-mode OM4 2 fiber 30m Cable HP Premier Flex LC/LC Multi-mode OM4 2 fiber 50m Cable <b>OM3 LC-LC type cables</b>	QK735A QK736A QK737A



## Models

.5 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ833A
1 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ834A
2 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ835A
5 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ836A
15 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ837A
30 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ838A
50 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ839A
50 m LC-LC Multi-Mode OM3 Fibre Channel Cable	AJ839A



## Service and Support, HP Care Pack and Warranty Information

### Warranty

3-0-0 Three-year parts exchange warranty. Additional warranty protection can be purchased. HP Global Services provides a three-year, limited warranty, fully supported by a worldwide network of resellers and service providers toll-free 7 x 24 hardware technical phone support for the duration of the warranty. In addition, available service offerings include a full range of HP Care Pack packaged hardware and software services. **NOTE:** Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.

HP Care Pack Services: Packaged server and storage services for increased uptime, productivity and ROI When you buy HP server and storage products and solutions, it's also a good time to think about what levels of support you may need. Our portfolio of service options reduce deployment and management worries while helping you get the most out of your server and storage investments. We take a holistic approach to your environment, bridging servers, blades, storage, software and network infrastructures with our packaged HP Care Pack Services for servers and storage.

Protect your business beyond warranty

When it comes to robustness and reliability, standard computing equipment warranties have matured along with technology. Good news that can also create problems stemming from depending on standard warranties designed to only protect against product defects and some downtime causes. Using a standard approach to warranty uplifts, such as HP Care Pack Services, helps reduce downtime risks and provides operational consistency for mission-critical and standard business computing.

HP Care Pack Services: Upgrading or extending standard server and storage warranties cost effectively

HP Care Pack Services offer a standard reactive hardware and software support services suite sold separately, or combined with our Support Plus and Support Plus 24 services. The portfolio also provides a combination of integrated proactive and reactive services, such as Proactive 24 Service and Critical Service. In addition with HP Proactive Select, you can acquire the specific proactive constancy and technical services. HP Proactive Select menu offers a broad set of service options that you can mix and match depending on your specific requirements. Proactive service options include offers for server, storage, network, SAN device, software, environment and education services.

HP server and storage lifecycle support services offers a full spectrum of customer care-from technology support to complex migrations to complete managed services. HP Factory Express provides customization, integration and deployment services for turnkey solutions. HP Education Services offer flexible, comprehensive training on to help your IT staff get the most out of your server and storage investments. HP Financial solutions extend innovative financing and cost-effective asset management programs-from purchase to equipment retirement.

Learn more: www.hp.com/services/servers and www.hp.com/services/storage

#### **NOTE:** Care Pack Services availability may vary by product and country.

HP Care Pack Services are sold by HP and HP Authorized Service Partners:

- Services for customers purchasing from HP or an enterprise reseller are quoted using HP order configuration tools.
- Customers purchasing from a commercial reseller can find HP Care Pack Services at http://www.hp.com/go/lookuptool



## Service and Support, HP Care Pack and Warranty Information

## Recommended HP Care Pack Services for optimal satisfaction with your HP product.

#### 3-Year HP Support Plus 24

HP Host Bus Adapters (HBAs) and Converged Network Adapters (CNAs) take on the support level of the HP server in which it is installed. 3-Year HP Support Plus 24 recommended for HBAs and CNAs installed outside of an HP environment.

For a higher return on your server and storage investment, HP Support Plus 24 provides integrated hardware and software support services designed specifically for your technology. Available 24x7, this 3-year combined reactive support option delivers onsite hardware support and over-the-phone software support around-the-clock. Leverage the full strength of HP Technology Services - customers can trust the services professionals at HP to work collaboratively with them, putting our strategic and technical know-how to work across their entire infrastructure.

- Improve uptime with responsive hardware and software services
- Enjoy consistent service coverage across geographically dispersed sites
- Update HP software at a predictable cost
- Increase customer satisfaction-with no interoperability gaps

#### http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA0-1614ENUC

occur.

HP Installation Service	Installation is included with the HP Server install if purchased together. If HBA or CNA is ordered as an add- on to an existing HP Server or for installation into a non-HP Server, HP Installation Service is recommended. • Allows your IT resources to stay focused on their core tasks and priorities • Reduces implementation time, impact and risk to your storage environment http://h71028.www7.hp.com/ERC/downloads/5981-9356EN.pdf
eSupport	HP eSupport is a portfolio of technology-based services that assist you with managing your business environment - from the desktop to the data center.
	Support Portal The HP support portal provides one-stop access to the information, tools and services you need to manage the daily operations of your IT environment.
	Features include:
	<ul> <li>Access to self-solve tools (including search technical knowledge base)</li> <li>Efficient logging and tracking of support cases</li> <li>Collaboration with other business and IT professionals</li> <li>Download of patches and drivers</li> <li>Access to diagnostic tools</li> <li>Proactive notification of relevant information</li> </ul>
	Access to certain features of the support portal requires an HP service agreement. To access the support portal, visit: http://www.hp.com/support
	HP Insight Remote Support software delivers secure remote monitoring and support for your HP Servers and Storage, 24 X 7, so you can spend less time solving problems and more time focused on your business. You can have your systems remotely monitored for hardware failure using secure technology that's been

proven at thousands of companies around the world. In many cases, you can avoid problems before they

## Service and Support, HP Care Pack and Warranty Information

Customer Technical Training	HP Education Services In today's cost-conscious business environment, IT professionals, developers, consultants and users face an interesting challenge: how to keep up with the latest technologies and expand important skills while delivering profitable results on current projects. To help address this challenge, HP offers innovative training solutions that help keep you up-to-date on virtualization, server, storage, Insight Control, Citrix, Microsoft® and open source/Linux-related topics-while spending less time away from business-critical activities.
HP Services Awards	HP Technology Services continues to be recognized for service and support excellence by customers, partners, industry organizations and publications around the world. Recent honors and award reflect our services team's dedications, technical expertise, professionalism and uncompromising commitment to customer satisfaction.
Additional Services Information	To learn more on HP ProLiant servers, HP BladeSystem servers and HP storage products, please contact your HP sales representative or HP Authorized Channel Partner. Or visit www.hp.com/services/proliant or www.hp.com/services/bladesystem or http://www.hp.com/services/storage



## **Technical Specifications**

		CN1100E	CN1000E	CN1000Q	CN1100R
Number of channel	S	Dual	Dual	Dual	Dual
Port Speed		10GbE	10GbE	10GbE	10GbE
Slot type supported		x8 PCle 2.0	x8 PCle 2.0	x8 PCle 2.0	x8 PCle 2.0
OS Supported	î.	refer to the HP Single I			
03 Supported	NOTE: Alway	www.hp.com/storage/s			
	Windows Server	x86, x64	x86, x64	x86, x64	x86, x64
	Windows Server	x86, x64	x86, x64	x86, x64	x86, x64
	Hyper-V VMware		 x86, x64		 x86, x64
	RHEL	x86, x64	x86, x64	X86, x64	x86, x64
	SLES				
C		x86, x64	x86, x64	x86, x64	x86, x64
Servers Supported		Select HP ProLiant ser NOTE: Refer to server		regarding supported o	otions.
Array Platforms Su	pported			or specific product supp	
FCoE Converged Ne	twork Switches	HP 5820X-14XG-SFP+	HP 5820X-14XG-SFP+	HP 5820X-14XG-SFP+	HP 2408 Converged
Supported		Switch w/FCoE	Switch w/FCoE	Switch w/FCoE	Switches
*No direct support f	or FC switches	Module	Module	Module	HP Nexus 5000
		HP 2408 Converged	HP 2408 Converged	HP 2408 Converged	Converged Network
		Network Switches	Network Switches	Switches	Switches
		HP Nexus 5000	HP Nexus 5000	HP Nexus 5000	HP 10/24 FCoE Blade
		Converged Network	Converged Network	Converged Network	for DC SAN Directors
		Switches	Switches	Switches	HP 5900CP-48XG-
		HP 10/24 FCoE Blade	HP 10/24 FCoE Blade	HP 10/24 FCoE Blade	4QSFP+ Switch
		for DC SAN Directors	for DC SAN Directors	for DC SAN Directors	
		HP 5900CP-48XG-	HP 5900CP-48XG-	HP 5900CP-48XG-	
		4QSFP+ Switch	4QSFP+ Switch	4QSFP+ Switch	
Protocols Supporte	ed	FCoE, Ethernet, iSCSI	FCoE, Ethernet, iSCSI	FCoE, Ethernet, iSCSI	FCoE, Ethernet, iSCS
What's Included in t	the Box?	CNA, low-profile bracket	CNA, low-profile bracket	CNA, low-profile bracket	CNA, low-profile bracket
Compliance		IEEE802.3x,	IEEE802.3x,	IEEE: 802.3ae (10Gb	IEEE: 802.3x,
compliance		IEEE802.3ad,	IEEE802.3ad,	Ethernet), 802.1g	802.3ad/802.1ax,
		IEEE802.1p,	IEEE802.1p,	(VLAN), 802.3ad (Link	802.3ae, 802.1q,
		IEEE802.1q,	IEEE802.1q,	Aggregation), 802.1p	802.1as/1588
		IEEE802.3az,	IEEE802.3az,	(Priority Encoding),	(Precision Time
		IEEE802.3ae,	IEEE802.3ae,	802.3x (Flow Control),	
		IEEE802.3ap,	IEEE802.3ap,	IPv4 (RFQ 791), IPv6	802.1Qbb, 802.1Qbg
		IEEE802.1qau,	IEEE802.1qau,	(RFC 2460), SCSI-3	802.1Qbh
		P802.1Qaz(ETS),	P802.1Qaz(ETS),	Fibre Channel	
		P802.1Qbb(PFC),	P802.1Qbb(PFC),	Protocol (SCSI-FCP),	
		P802.1Qaz(DCBX)	P802.1Qaz(DCBX)	Fibre Channel Tape	
				(FC-TAPE) Profile,	
				SCSI Fibre Channel	
				Protocol-2 (FCP-2),	
				Second Generation FC	
				Generic Services (FC-	
				GS-2), Third	
				Generation FC Generic	



## **HP Converged Network Adapters**

## **Technical Specifications**

			Services (FC-GS-3), FCoE & FIP (FC-BB-5)	
Environmental - Operating Temperature	32°F to 131°F (0° to	32º to 113º F (0º to	32° to 131°F (0°to	32°F to 131°F (0°C to
	55°C), 150 LFM	45º C)	55°C)	55°C)
Environmental - Storage Temperature	-40º F to 158º F (-40°	-40º F to 158º F	-4º F to 158º F	-40°F to 149°F (-40°C
	to 70° C), Storage	(-40º to 70º C)	(-20º to 70º C)	to 65°C)
Environmental - Relative Humidity -	5% to 95% (storage),	15% to 80% (relative,	10% to 90% (relative,	5% to 95%
Operating	non condensing, 22° C	non-condensing)	non-condensing)	noncondensing
	wet bulb			PCIe Low Profile
	10% to 90%			
	(operating), non			
	condensing, 22° C wet			
	bulb			
<b>Product Dimensions</b> (W x D x H)	10.4 x 7.7 x 2.4 (265 x	10.3 x 7.5 x 2.3 in.	12.25 x 8.75 x 2.5 in.	10.0 x 8.0 x 3.0 in.
	195 x 60 mm)	(262 x 190 x 58 mm)	(311 x 222 x 63 mm)	(254 x 203.3 x 76.2
				mm)
Media	10Gb SFP+ Ethernet	10Gb SFP+ Ethernet	10Gb SFP+ Ethernet	10Gb SFP+ Ethernet
	Optical Modules (SR)	Optical Modules (SR)	Optical Modules (SR)	Optical Modules (SR)
	or SFP+ direct attach	or SFP+ direct attach	or SFP+ direct attach	or SFP+ direct attach
	active and passive	active and passive	active and passive	active and passive
	copper cable	copper cable	copper cable	copper cable
PCIe Connector	PCIe x8	PCle x8	PCle x8	PCle x8
	Gen2	Gen2	Gen2	Gen2
Brackets	Shipped with both ½	Shipped with both ½	Shipped with both ½	Shipped with both ½
	height and full-height	height and full-height	height and full-height	height and full-height
	brackets	brackets	brackets	brackets

© Copyright 2014 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

