

Data Sheet Fujitsu FUTRO Z220 Thin Client

Versatile Efficiency

Fujitsu's versatile FUTRO Z220 brings a new level of efficiency to highly secure Server-Based Computing and Virtual Desktop Infrastructure environments. The System-on-a-chip based thin client with familiar desktop experience offers a fully managed or an auto-adaptive operating mode. On demand best-in-class manageability with Scout Enterprise or automatic connection to the back-end infrastructure with zero management efforts are available.

Redefined hardware setup

Full system and energy efficiency plus a performance boost in the FUTRO all-round segment. Hardware based acceleration of Citrix® HDX protocol

■ System-on-a-chip design (SoC) based on ARM architecture

eLux® RT operating system

Familiar eLux® desktop experience

■ Ideal operating system specially designed for ARM architecture

Different operating modes

Find ideal solution fitting perfectly to your infrastructure and company size

■ Choose between a fully managed or an auto-adaptive Fujitsu FUTRO Z220

Fully managed Thin Client

Best-in-class management software for easy and effortless administration

■ Management with Scout Enterprise and image customizing with ELIAS

Auto-adaptive Thin Client

Zero installation and management effort plus instant start of work

■ Automatic detection and connection to Citrix® or Microsoft® back-end infrastructures























Page 1 / 5 www.fujitsu.com/fts/FUTRO

Technical details Components

nterface add on cards/components (optional)				
7-F	WLAN Atheros HB116 a/g/n (integration in progress)			
	Internal speaker			
	·			
Base unit	FUTRO Z220			
Operating system and software (Linux)				
Operating system	eLux® RT – Embedded Linux			
Operating system notes	eLux® RT license is built-in and non-transferable. 12 months update right is included.			
Functions	Mozilla Firefox Browser, V10.0 or newer			
	Hardware based protocol acceleration			
	Citrix® HDX / Citrix ICA			
	Citrix® Receiver 12.2.3 or newer			
	Microsoft® RDP			
	FreeRDP V1.0.2 or newer			
	Updates and optional software packages are available at www.myelux.com			
Manageability	optional: Scout Enterprise for flash memory management, embedded operating system update and system			
	monitoring, managing devices by location, group or user, individual operating system composition with ELIAS (Scout			
	Enterprise license required), eLux® RT requires Scout Enterprise V13 or higher			
VPN (Linux)	VPN client (integration in progress)			
Mainboard				
Mainboard type	D3252-A1			
Formfactor	proprietary			
System-on-a-Chip	ARM® Cortex™-A8 based DM8148 SoC from Texas Instruments Incorporated (TI)			
Storage	2 GB Flash eMMC onboard, software update centrally via Scout Enterprise or locally			
Supported capacity RAM (max.)	1 GB			
Memory notes	Fixed size of onboard DDR3 main memory			
LAN	Built-in 10/100/1000 MBit/s Realtek RTL8211E			
Audio type	On board codec			
Audio codec	Texas Instruments TLV320AIC3105			
Audio features	Stereo audio			
Audio notes	Loudspeaker (optional)			
Interfaces				
	FUTRO Z220			
DC-in	1			
Front audio: headphone	1			
Front audio: line-in / microphone	1			
USB 2.0 total	4			
USB front	2			
USB rear	2			
USB internal	1 (on mini PCle connector)			
DVI	2 (1x DVI-I and 1x DVI-D; integrated VGA can be used with DVI-VGA adapter)			
Ethernet (RJ-45)	1			
Kensington Lock support	2			
Graphics				
FFT resolution (VGA)	up to 1920 x 1200 pixel			
TFT resolution (DVI)	up to 1920 x 1200 pixel			
Electrical values				
Rated voltage range	100 V - 240 V (AC Input)			
Rated frequency range	50 Hz - 60 Hz			
Operating voltage range	100 V - 240 V (AC Input)			
Operating line frequency range	50 Hz - 60 Hz			

Page 2 / 5 www.fujitsu.com/fts/FUTRO

Power consumption for standard config		
Power consumption: Maximum (S0, running appl.)	10 W	
Power consumption: Idle (S0, running OS, Idle mode)	8.5 W (typical configuration)	
Power consumption: Minimum (ACPI	0.6 W	
status S5, soft off, WOL enabled)		
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	31 x 132 x 148 mm	
Dimension with stand (W x D x H)	65 x 154 x 160 mm	
Operating position	Vertical	
Weight	0,4 kg	
Weight notes	Actual weight may vary depending on configuration	
Operating ambient temperature	10 - 35 ℃	
Operating relative humidity	5 - 85 % (relative humidity)	
Compliance		
Product	FUTRO Z220	
Model	FZ1-D3252A1	
Germany	GS in progress	
Europe	CE certification according to EC Directive 2004/108/EEC	
	CB	
USA/Canada	CSA	
	ICES-003 Class B	
	CAN/CSA	
Global	ENERGY STAR® 5.0	
	RoHS (Restriction of hazardous substances)	
	WEEE (Waste electrical and electronic equipment)	
	EPEAT® Silver (dedicated regions)	
Russia	GOST	
Compliance notes	Energy Star compliance may vary depending on actual	
•	configuration	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates	
Security		
System and BIOS Security	Write protection for the Flash module	
Warranty		
Standard Warranty	2 years (depending on country)	
Service level	Bring-In / Onsite Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulatio	
	minimum: 2 years material warranty)	
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty	
Maintenance and Support Services - the		
Recommended Service	9x5, Response Time: Next Business Day	
Spare Parts availability	5 years after end of product life	
Service Weblink	http://www.fujitsu.com/fts/services/support	
	L - A	

Recommended Accessories

Longshine Switch



The 16-Port 10/100/1000 Mbps Gigabit Longshine switch provides you a real Gigabit connection. Users are able to transfer large files with high bandwidth requirements faster while administrators experience a real efficiency improvement. The fanless Longshine switch is energy efficient, easy to install and fully compliant with all kinds of network protocols.

Order Code: S26391-F6055-L416

Page 3 / 5 www.fujitsu.com/fts/FUTRO

VESA M	lounting	Adapter	FUTRO
7220			



The Fujitsu VESA Mounting Adapter for FUTRO Z220 frees up valuable desk- Order Code: space by mounting your thin client on the stand of a display in just seconds. S26361-F1051-L10 You can either fasten your FUTRO Z220 on a VESA compatible display using the Mounting Adapter, or secure it with the included mounting strap for standard displays.

Display B22W-6 LED proGREEN



The B22W-6 LED proGREEN offers best ergonomics and usability for intensive office use with a 4-in-1 stand.

Order Code: S26361-K1392-V160

Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

Order Code:

Order Code:

Blue LED Mouse GL9000



Blue LED Mouse GL9000 comes in a slim design with proven Fujitsu engineering quality. The state-of-the-art blue LED sensor enables ultra precise switchable resolution at 1,000, 1,500 and 2,000 dpi. Blue LED Mouse GL9000 makes your life easier because it's tailor-made for right handed users. It just feels great in your hand.

BDL:TOP-MOUSE-GL9

S26381-K438-L100

Keyboard KB900



The KB900 is a very flat keyboard with extra low keys and spill-resistant protection. The elegant design and top-quality construction makes the KB900 the ideal input device for any PC or Notebook user. If you accidently spill some water or coffee onto the keyboard, this special construction helps the liquid to flow away.

S26381-K560-L4** (**: Country specific variation)

Wireless Keyboard Set LX900



The Wireless Keyboard LX900 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K564-L4** (**: Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu FUTRO Z220, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu FUTRO Z220, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/FUTRO

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-06-27 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions