


**Xerox® Phaser® 6600 and  
Xerox® WorkCentre® 6605**

Letter-size  
Color Printer and  
Multifunction Printer



Phaser 6600 Printer  
and WorkCentre 6605  
Multifunction Printer  
Grow your business with  
easy office efficiency.



# Xerox® Phaser® 6600 Color Printer and Xerox® WorkCentre® 6605 Color Multifunction Printer

**The value of enhancing your company's image is immeasurable.** And with the value-packed Phaser 6600 Color Printer and WorkCentre 6605 Color Multifunction Printer, today's busy workgroups can easily make important business communications stand out from the competition with exceptional color printing.

## Color That Gets Your Work Noticed

No matter what business you're in, the Phaser 6600 and WorkCentre 6605 give your image an essential, colorful advantage.

- **Prints that sell your business.** A print resolution of up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality) makes your printed communications stand out and grab attention.
- **Enhanced output.** Photo Mode makes your images and graphics look exceptional, producing deeper, richer colors for lifelike vibrancy.
- **Unique Xerox® EA Toner.** Fuses at a much lower temperature, and reduces power consumption by up to 20% and CO<sub>2</sub> emissions by up to 35%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary or recycled paper.
- **Always the right color.** Pantone® Color calibrated solid-color simulations and Xerox® color correction technology ensure results that match your expectations.
- **Consistent precision.** True Adobe® PostScript® 3™ ensures your print jobs are consistently accurate, with the brightest, truest colors and superior graphics.

## High-power Capabilities

The Phaser 6600 and WorkCentre 6605 deliver a host of capabilities and powerful options made affordable for small workteams.

- **Reduce your paper usage.** Automatic two-sided printing on the DN configurations makes saving paper easy, and gives your documents a professional appearance. Plus, N-up printing lets you output multiple pages on one sheet, which is particularly useful when printing presentations.
- **Wireless freedom.** Place the Phaser 6600 and WorkCentre 6605 anywhere in the office with optional Wi-Fi.
- **Less to replace.** High-capacity toner cartridges allow longer periods of uninterrupted productivity, and help you reduce your total cost of operation over time.
- **Consolidate and save.** The value packed WorkCentre 6605 saves energy and supplies costs by combining the functions of a copier, printer, scanner and fax – all in one device.
- **Stay secure.** Keep your sensitive documents away from unintended recipients with available secure print<sup>1</sup>, and protect access to device features with front-panel PIN code authentication.
- **Total peace of mind.** In addition to renowned Xerox® reliability, our standard one-year onsite warranty is backed by the industry-leading Xerox® Total Satisfaction Guarantee, which also comes standard.

## Productivity Simplified


The Phaser 6600 and WorkCentre 6605 support fast-paced workteams with time-saving productivity advantages and features designed for total simplicity.

- **Print and go.** The Phaser 6600 and WorkCentre 6605 work quickly, with color and black-and-white print speeds of up to 36 ppm.
- **Load paper less often.** The main 550-sheet paper tray holds a full ream of paper – no more half-empty packages taking up valuable storage space. An optional 2nd tray increases total capacity up to 1,250 sheets for even longer periods of uninterrupted productivity.
- **Simple as can be.** The innovative 4.3-inch touch screen on the WorkCentre 6605 features bright, colorful icons and intuitive navigation for optimal ease-of-use.
- **Digitize your workflows.** Use the WorkCentre 6605 to scan your hard copy documents and get text-searchable digital files that can be automatically shared via email or network folder, or saved on the device or any USB memory device for true portability.
- **Easy startup and everyday operation.** You'll be up and running in minutes, and with Xerox® CentreWare® IS, remote device administration is handled with ease right from any networked computer's browser.
- **Go mobile.** Print directly from Apple® iOS®-based devices with support for Apple AirPrint™<sup>2</sup>.

<sup>1</sup> Standard on WorkCentre 6605. Phaser 6600 requires Productivity Kit (with 512 MB RAM) or Productivity Kit (with 160 GB Hard Drive).

<sup>2</sup> Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

**One device, multiple functions.** The Xerox® WorkCentre® 6605 Color Multifunction Printer builds on the outstanding print performance offered by the Xerox® Phaser® 6600, delivering a host of powerful productivity tools designed to make your daily office tasks more efficient than ever.



- 1** The WorkCentre 6605 includes a 4.3-inch touch screen with easily understood instructions and help screens to streamline walkup operations.
- 2** A 50-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.
- 3** A front-side USB port allows users to quickly print from or scan to any standard USB memory device.
- 4** Powerful electronic workflows include scan to email and network scanning, plus LAN Fax for fast, efficient network faxing from your PC or Mac.
- 5** 250-sheet output tray with tray-full sensor.
- 6** 150-sheet Multipurpose Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in.
- 7** With the 550-sheet paper tray, standard paper capacity for the WorkCentre 6605 totals 700 sheets.
- 8** Optional 550-sheet paper tray increase total paper capacity to 1,250 sheets.
- 9** Optional stand provides storage for toner cartridges, paper and other supplies.

### Phaser 6600 Quick Facts

- Print up to 36 ppm color and black-and-white
- First-page-out time as fast as 9 seconds black-and-white, 10 seconds color
- Optional Wi-Fi connectivity
- Standard automatic two-sided printing (6600DN configuration)
- Standard 550-sheet paper capacity (expandable to 1,100 sheets)



**Phaser 6600**  
**WxDxH:**  
 16.9 x 19.2 x 15.1 in./  
 430 x 488 x 384 mm  
**Weight:**  
 56.2 lbs / 25.5 kg

**Print**  
 8.5 x 11 in. / A4  
**36** ppm

### WorkCentre 6605 Quick Facts

- All features of the Phaser 6600 plus:
- Workflow-enhancing scanning capabilities
  - Full range of copy features
  - LAN Fax and walkup fax functionality
  - 4.3-inch color touch screen user interface
  - 50-sheet Duplex Automatic Document Feeder



**WorkCentre 6605**  
**WxDxH:**  
 16.9 x 20.8 x 22 in./  
 430 x 528 x 560 mm  
**Weight:**  
 71.7 lbs. / 32.5 kg

**Copy / Print / Scan / Fax / Email**  
 8.5 x 11 in. / A4  
**36** ppm

	Xerox® Phaser® 6600N	Phaser 6600DN	Xerox® WorkCentre® 6605N	WorkCentre 6605DN
<b>Speed</b>	Up to 36 ppm Letter / Up to 35 ppm A4, color and black-and-white			
<b>Duty Cycle</b>	Up to 80,000 pages / month <sup>1</sup>			
<b>Paper Handling</b>	Standard	N/A	<b>Duplex Automatic Document Feeder (DADF):</b> 50 sheets; Custom sizes: 5 x 5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)	
		<b>Multipurpose Tray:</b> 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm		
	Optional	<b>Tray 1:</b> 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm <b>Tray 2:</b> 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm		
Paper Output	Standard	250 sheets face down with tray full sensor		
Automatic Two-sided Output	N/A	Standard	N/A	Standard
<b>Print</b> First-page-out Time	As fast as 9 seconds black-and-white / 10 seconds color			
Print Resolution (max)	Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)			
Processor	533 MHz			
Memory (std / max)	256 MB / 768 MB		512 MB / 1 GB	
Connectivity	USB 2.0, 10/100/1000Base-TX Ethernet, optional Wi-Fi (802.11 n/g/b)			
Page Description Languages	True Adobe® PostScript® 3™, PCL5/6, XPS, PDF Emulation			
Print Features	PANTONE® Color calibrated solid-color simulations, Saved settings, Earth Smart settings, Color Corrections, N-up, Booklet layout, Watermark, Photo mode, Collation, Secure Print <sup>2</sup> , Saved Print <sup>2</sup> , Font/Form/Macro Storage <sup>3</sup> , Apple AirPrint™ <sup>4</sup>			
<b>Copy</b> First-page-out Time	NA		As fast as 13 seconds black-and-white / 16 seconds color	
Copy Features	NA		Up to 600 x 600 dpi, Reduce/Enlarge (25 %-400 %), Lighter/Darker, Color Saturation, Sharpness, Color Balance, Auto Exposure, Up to 99 copies, 2-up Output, AutoFit, Cloning, Collate (up to 50 pages)	
<b>Fax</b> <sup>4</sup> Walk-Up Fax Features	NA		MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forward to Email and FTP/SMB Server <sup>5</sup> , Fax Forwarding and Local Print, Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive	
LAN Fax Features	NA		Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (Up to 500 speed dial numbers, Up to 500 group dial, Phonebook stored on PC)	
<b>Scan</b> Scan Destinations	NA		TWAIN/WIA scanning via USB or Network, Scan to Computer via SMB, Scan to Server via FTP, Scan to Email with LDAP support, Scan to USB Memory Device, WSD Scanning	
Scan Features	NA		JPEG/TIFF/Multipage TIFF/PDF File Formats, Email Address Book (up to 100 Email addresses, up to 10 Email group addresses), Express Scan Manager, Scan to PC Desktop® SE Small Business Edition (1-seat license)	
<b>Security</b>	Secure Fax Receive (WorkCentre 6605 only), Secure Print <sup>2</sup> , 256-bit disk encryption and overwrite <sup>3</sup> , Secure HTTPS (SSL, Secure LDAP <sup>3</sup> ), IPsec, 802.1x Authentication, IPv6, SNMPv3, Audit Log, IP Filtering, Scan to Email over SSL/TLS <sup>5</sup> (WorkCentre 6605 only)			
<b>Warranty</b>	One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox® Total Satisfaction Guarantee			

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; <sup>2</sup> Standard on 6605, 6600 requires an optional Productivity Kit; <sup>3</sup> Requires Productivity Kit (with 160 GB Hard Drive); <sup>4</sup> Requires analog phone line.; <sup>5</sup> Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

#### Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour

#### Print Drivers

Windows XP and later, OSX 10.5 and later, various Linux and Unix distributions, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

#### Media Handling

Duplex Automatic Document Feeder (6605): Simplex: 50 – 125 gsm, 13 – 32 lb. bond; Duplex: 60 – 125 gsm, 16 – 32 lb. bond; Multipurpose Tray, Tray 1, Tray 2: 16 lb. bond – 80 lb. cover / 60 – 216 gsm; Media types: Plain, hole punched, letterhead, colored, lightweight cardstock, lightweight glossy cardstock, heavyweight cardstock, heavyweight glossy cardstock, labels, envelopes

#### Operating Environment

Temperature: Storage: 32° to 104° F / 0° to 40° C; Operating: 50° to 90° F / 10° to 32° C; Humidity: Operating: 10% to 85%; Sound power levels: 6600: Printing: 6.9 B, Standby: 4.5 B; 6605: Printing/

copying: 6.8 B, Standby: 4.4 B; Sound pressure levels: 6600: Printing: 53 dB(A), Standby: 29 dB(A); 6605: Printing/copying: 52 dB(A), Standby: 29 dB(A); Warm-up time (from sleep mode) 6600: as fast as 21 seconds, 6605: as fast as 25 seconds

#### Electrical

Power: 110-127 VAC, 50/60 Hz, 10A or 220-240 VAC, 50/60 Hz, 5A; Power consumption: 6600: Standby: 65 W, Printing: 535 W, Sleep: 4 W; 6605: Standby: 72 W, Printing: 560 W, Sleep: 6 W; ENERGY STAR® qualified (DN configuration)

#### Supplies

Standard-Capacity Print Cartridge\*:  
Black: 3,000 std. pages 106R02244  
Cyan: 2,000 std. pages 106R02241  
Magenta: 2,000 std. pages 106R02242  
Yellow: 2,000 std. pages 106R02243  
High-Capacity Print Cartridge\*:  
Black: 8,000 std. pages 106R02228  
Cyan: 6,000 std. pages 106R02225  
Magenta: 6,000 std. pages 106R02226  
Yellow: 6,000 std. pages 106R02227

#### Routine Maintenance Items

Imaging Unit Kit: Up to 60,000 pages\*\* 108R01121  
Waste Cartridge: Up to 30,000 pages\*\* 108R01124  
Fuser Assembly: Up to 100,000 pages\*\* 115R00076  
Transfer Unit Kit: Up to 100,000 pages\*\* 108R01122

#### Options

550-Sheet Feeder 097S04400  
Stand 497K13660  
Productivity Kit (512 MB RAM) 097S04269  
Productivity Kit (160 GB HD) 097S04403  
Wireless Networking Adapter 097S04409  
Wireless Network Adapter  
– N. America power converter 097S03740  
– European power converter 097S03741  
– UK power converter 097S03742

\* Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

\*\* Approximate pages. Declared yield based on an average job size of 3 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.



For more information, call 1-877-362-6567 or visit us at [www.xerox.com/office](http://www.xerox.com/office)



©2013 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Phaser® and WorkCentre® are trademarks of Xerox Corporation in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Adobe® and PostScript® 3 are registered trademarks or trademarks of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN configuration). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. Updated 9/13 BR2826 660BR-01UD