Data sheet

HP Color LaserJet Pro MFP M476 series



Connect the office to a wired or wireless MFP with vibrant color printing and scanning features.

This HP Color LaserJet Pro MFP connects the whole office to vibrant color printing, even on the gome and improves productivity with fast, versatile scanning that can send documents directly to email, network folders, and the cloud.



HP Color LaserJet Pro MFP M476nw



HP Color LaserJet Pro MFP M476dn



- Just go and print—easily send print jobs wirelessly without a network.¹
- Enable touch-to-print convenience from mobile devices.²
- Easily print from mobile devices at work, home, or on-the-go with HP's first Mopria-certified MFP.³
- Share all your printer has to offer—set up, print, and share with Ethernet and wireless connectivity.4

Scan fast, send securely

- Finish faster—with less standing around—using single-pass, dual-head scanning.
- Control access to walkup features and easily look up network email addresses, using LDAP connectivity.
- Scan, send, simple—capture and route digital files directly to the cloud, email, or network folders.⁷
- With HP Flow CM Professional, you can easily collaborate on, search, and share your business content.⁵

Move jobs fast

- Save time and help reduce paper costs, using automatic two-sided printing.⁶
- Work smarter—access content and quickly launch tasks from the 3.5-inch color touchscreen.⁷
- Finish projects fast—use the 50-page automatic document feeder to save time.
- Just walk up and print on this MFP from your USB drive, using the easy-access USB port.



HP Color LaserJet Pro MFP M476dw

¹ Wireless direct printing is available only on the HP Color LaserJet Pro MFP M476nw and M476dw. Mobile device needs to be connected directly to the WiF Inetwork of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.² Touch-to-print capability is available only on the HP Color LaserJet Pro MFP M476dw. Mobile device must support near field communications-enabled printing. For a list of support devices, see hp.com/go/businessmobileprinting. ³ Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless performance is dependent on physical environment and distance from access point. Wireless performance is dependent on physical environment and distance from access point. Wireless performance is dependent on physical environment and distance from access point. Wireless performance is dependent on physical environment and distance from access point. Wireless are compatible with 2.4 GHz operations only. Remote printing requires analyze purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up.⁴ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ HP Flow CM Professional is available in the United States and Canada only and through select HP partners. ⁶ Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁷ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, l


Product walkaround

- 1. 50-sheet automatic document feeder (ADF) with single-pass, dual-head scanning
- 2. Flatbed scanner
- 3.150-sheet output bin
- 4. One-door access to the preinstalled cartridges
- 5. 50-sheet multipurpose tray
- 6.250-sheet input tray 2
- 7. 3.5-inch (8.89 cm) color touchscreen control panel with HP Business Apps
- 8. Built-in wireless direct and touch-to-print capabilities¹
- 9. Easy-access USB port
- 10. Built-in automatic two-sided printing²
- 11. Convenient front on/off button
- 12. Telephone line out port
- 13. RJ-11 fax port
- 14. Built-in wireless networking
- 15. Fast Ethernet network port
- 16. Hi-Speed USB 2.0 printing port

HP Color LaserJet Pro MFP M476dw



Front view



Close-up of I/O ports

Series at a glance







Model **HP Color LaserJet Pro MFP HP Color LaserJet Pro MFP HP Color LaserJet Pro MFP** M476nw M476dn M476dw Part number CF385A CF386A CF387A 50-sheet multipurpose tray 1 Yes Yes Yes Yes 250-sheet tray 2 Yes Yes Optional 250-sheet tray 3 Optional Optional Yes Not available Yes Wireless direct³ Not available Yes Not available **Touch-to-print** Yes **Ethernet networking** Yes Yes Yes Yes Not available **Wireless networking Automatic duplexer** Not available Yes Yes

¹Touch-to-print capability is standard on M476dw only. ²Available on the M476dw models.³ Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only. ⁴Wireless networking is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite Repair:

Makes an HP technician available at customer's premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite - 4 hour 9x5 and 13x5:

Next Sends and HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc

Top features

Easily print how you want, where you want. Across the office or on the go, printing to this MFP is simple and direct—even without a network—using Ethernet, wireless options, or touch-to-print technology.^{1,2,3}

Capture scans in a single pass and send them quickly to their next destination—email, network folders, or the cloud.⁷ Help boost productivity with fast, secure sign-on and advanced processing, routing, and retrieval tools.

Make copying and scanning more hands free, with a 50-page automatic document feeder and automatic two-sided printing.⁶ Let your fingers fly through tasks at the touchscreen. The easy-access USB makes it simple to walk up and print.

Accessories			
CF106A	HP LaserJet 250-sheet Paper Feeder		
Supplies			
CF380A	HP 312A Black LaserJet Toner Cartridge (~2400 pages)		
CF380X	HP 312X Black LaserJet Toner Cartridge (~4400 pages)		
CF381A	HP 312A Cyan Laser Jet Toner Cartridge (~2700 pages)		
CF382A	HP 312A Yellow LaserJet Toner Cartridge (~2700 pages)		
CF383A	HP 312A Magenta LaserJet Toner Cartridge (~2700 pages)		

HP Color LaserJet Pro MFP M476 series

U1H64E - HP 3 year Next Business Day Color LaserJet M475/M476 MFP Hardware Support U1H65E - HP 3 year 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support U1H66E - HP 3 year 4hr 13 x 5 Color LaserJet M475/M476 MFP Hardware Support U1H72PE - HP 1 year Post Warranty 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support U1H74PE - HP 1-year Post Warranty Next Business Day Color LaserJet M475/M476 MFP Hardware Support











¹ Wireless direct printing is available only on the HP Color LaserJet Pro MFP M476nw and M476dw. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. ¹ Touch-to-print capability is available only on the HP Color LaserJet Pro MFP M476dw. Mobile device and printer requires available only on the HP Color LaserJet Pro MFP M476dw. Mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. ¹ Touch-to-print capability is available only on the HP Color LaserJet Pro MFP M476dw. Mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchaged service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices dahere to a common standard that enables easy mobile printing with little or no set up. ⁶ Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁷ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see to common standard that enables easy mobile printing for more details.

HP Color LaserJet Pro MFP M476 series

Technical Specifications AIO functions	HP Color LaserJet Pro MFP M476nw(CF385A)	HP Color LaserJet Pro MFP M476dn(CF386A) Print, copy, scan, fax; AIO multitasking supported: Yes	HP Color LaserJet Pro MFP M476dw(CF387A)		
Print speed	Letter: Up to 21 ppm b	lack; Up to 21 ppm color ¹ ; First Page Out Black: As fast as 16.5 sec; First Pa	age Out Color: As fast as 16.5 sec ²		
rint resolution	Extend by the reprint back, by the reprint back, so that, shares to be constructed with restances to be constructed by the reprint back, by the reprint back				
rint Technology	Laser; Print Resolution Technologies: HP ImageREt 3600				
rint Cartridges Number	4 (1 each black, cyan, yellow, magenta)				
tandard Print Languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PCLm, PDF, URF				
Printer Smart Software Features	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria certified, HP Auto-	HP ePrint, Apple AirPrint™, Mopria certified, HP Auto-On/Auto-Off	HP ePrint, Apple AirPrint™, Wireless Direct Print, Embedded NFC		
	On/Auto-Off Technology, Intiutive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	Technology, Intiutive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	touch-to-print, Mopria certified, HP Auto-On/Auto-Off Technology, Intiutive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB		
Printer Management	HP We	b Jetadmin; HP Utility (Mac); HP Imaging & Printing Security Center; Device To	·		
can Type / Technology	Type: Flatbed; ADF; Technology: Contact Image Sensor (CIS)				
can Resolution	Hardware: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed); Optical: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbe				
ican File Format	PDF, searchable PDF, JPG, RTF, TXT, BMR, PNG, TIFF				
ican Input Modes	From PC: Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7): TWAIN-compliant or WIA-compliant software				
Scan Size	ADF: 8.5 x 14 in Maximum; 5 x 5 in Minimum; Flatbed: 8.5 x 11.7 in				
Scan Speed	Up to 18 ppm (b&w), up to 14 ppm (color) ³ ; Duplex: Up to 33 ipm (b&w), up to 11 ipm (color)				
Scanner Advanced Features	Scan-to-E-mail, scan-to-cloud, Scan-to-USB, Scan-to-network folder, LDAP email lookup				
Bit depth / Grayscale levels	24-bit (color); 8-bit (mono) / 256				
Digital Sending Standard Features	Scan to email; Scan to folder; LDAP authentication				
Copy Speed	Black (letter): Up to 21 cpm; Color (letter): Up to 21 cpm ⁴				
Copy Resolution	Black (text and Graphics): Up to 300 x 420 dpi (Clori (text and Graphics): 300 x 420 dpi (Flatbed); 300 x 360 dpi (ADF)				
Maximum Number of Copies	Up to 99 copies				
Copier Resize	5 to 400%				
Copier Settings	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults				
Fax Speed	Nomber of copies, reducer Linalge, Lighter Janker, optimize, raper, incurrance copy, cualitation, ranker, unar house unait mode, inalge rubistinent, set as new behaltis, kestore behaltis (b) tot 33.6 kbps; letter: 3 set prage ⁶				
Fax Resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi				
Fax Smart Software Features	Permanent fax memory backup, auto fax reduction, auto redialing, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity rep				
	dial prefix setting, print fax log				
Fax Features	Fax Memory: Up to 250 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interfac Supported: Yes; Fax Polling Supported: Yes (receive only); Fax Telephone Mode Supported: Yes; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: No; Remot Retrieval Capability Supported: No; Telephone Handes Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: No; Remot				
Standard Connectivity	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; H		
	USB	Via built-in 10/100Base-TX Ethernet: authentication via 802.11x	USB		
Network Capabilities					
Network Ready	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)	Standard (built-in Fast Ethernet)	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)		
Wireless Capability Mobile Printing Capability	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP; NFC HP ePrint, Apple AirPrint™, Wireless direct printing, Mopria certified,	No	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption vi AES or TKIP HP ePrint, Apple AirPrint™, Wireless direct printing, NFC touch-to-print,		
Memory	Mobile Apps	HP ePrint, Apple AirPrint™, Mopria certified, Mobile Apps Standard: 256 MB; Maximum: 256 MB	Mopria certified, Mobile Apps		
Processor Speed	800 MHz				
Duty Cycle	Monthly, letter: Up to 40,000 pages ⁶ ; Recommended Monthly Page Volume: 1000 to 2500 ⁷				
Paper Handling	Input Capacities: 50-sheet multipurpose tray, 250-sheet input tray, Output Capacities: 150-sheet output bin; Duplex Options: Automatic (standard) (M476dw); Manual (M476dw); Manual (M476dw); Auto Document Feeder Capaci Standard, 50 sheets; Envelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparenci labels, envelopes; Media Weight Supported: Tray 1: 16 to 47 lb (up to 58 lb with HP Color laser glossy photo papers); Tray 2, optional Tray 3: 16 to 43 lb (up to 47 lb with postcards, up to 58 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb; Media Sizes Supported: Tray 1: Letter, legal, executive, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Automatic duplexer: Letter, legal, executive, 8.5 x 13 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3 4 x 5.8 x 10 kin; Tray 2, and 1 kin; Tray 2,				
Product Dimensions	W x D x H: 16.5 x 18.4 x 19.7 in ⁸ ; Maximum: 16.5 x 26.7 x 19.7 in				
Product Weight	WXDXH: 163X164X154.11, 163X164X64X154.11, 17 1612169 16				
What's in the box Warranty Features	HP LaserJet Pro MFP M476, Preinstalled introductory HP LaserJet Black, Cyan, Yellow, Magenta print cartridges (~1,200 pages); Hardware Installation guide; Printer documentation and software on CD-ROM; Software drivers and documentation; Power cord; USB cable (Wireless Units only); Telecom cable ¹⁰ One-year limited warranty				
Energy Efficiency Compliance	ENERGY STAR [®] qualified; Blue Angel UZ 171 certified				
Control Panel		l :h color graphic display; Buttons (Home, Cancel, Help, Right/Left Arrows, Back			
Display Description		3.5" (8.89 cm) intuitive touchscreen Color Graphic Display (CGD)	.,		
Software Included	Windows: HP Installer/Uninstaller (with Wireless setup assist), HP PCL 6 print driver, HP WIA Scan Driver, HP Fax Can Driver, HP Fax Setup Wizard, Scan to Folder Setup Wizard, Scan to e-mail setup Wizard, HP Send Fa HP Fax Print Driver, Status Alerts, HP Update, DXP (Device Experience), HP Help & Learn Center, HP Product Improvement Study; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver HP Utility, HP Alerts, HP Firmware Updater				
Fonts and Typefaces		84 scalable TrueType fonts			
Compatible Operating Systems	Windows full software installs supported on: Windows 8 & 8.1 (32 & 64-bit) Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows XP (32-bit) (SP2 or higher); Mac full software installs: Mac OS X v10.6 Leopard, v10.7 Lior v10.8 Mountain Lion, v10.9 Mavericks; Mobile OS native print support: IOS, Android, Windows 8 R1. Other OS of viver support: Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11.1, 11.2); Fedora (9, 9.0, 10, 10.0, 11.2, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPV 11 and Solaris 8/9				
Compatible Network Operating Systems	HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; 05 X 10.7 Lion; 05 X 10.8 Mountain Lion; 05 X 10.9 Mavericks; Windows 2000; MPE-X; Citrix MetaFrame Server; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Windows 2003 SP2 + 64-bit; Windows Server 2003 SP2 +; Windows Terminal Services; Windows Vista (32-bit and 64-bit); Windows Vista Ready; Windows XP SP3 + 64-bit; Windows Server 2003 SP2 +; Windows Vista (32-bit and 64-bit); Windows Vista Ready; Windows XP SP3 + 64-bit; Windows Server 2008 (32-bit and 64-bit); Windows Vista Ready; Windows Server 2008 (32-bit and 54-bit); Windows Server 2008 (32-bit and 64-bit); Windows Server 2008 (32-bit and 54-bit);				
Minimum System Requirements	PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server 2008; KC (qu-ui), Windows Server 2008; Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; dedicated universal serial bus (USB 1.1 or 2.0 or 3.0) or network connection or Wireless connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see http://www.microsoft.com; MAC: 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.9 Mountain Lion; 05 X 10.8 Mountain Lion; 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.6 Leopard, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; 05 X 10.8 Mountain L				
Power	Power Supply Type: Built-in power supply; Power Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz); (Not dual voltage, power supply varies by part number with # Option code identifier); Power Consumption: 397 watts (print/copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-Onf, 0.2 watts (Auto-Off/Manual-On), 0.2 watts (Off) ¹¹				
Acoustics	Ac	oustic Power Emissions: 6.5 B(A); Acoustic Pressure Emissions: 51 dB(A) ¹⁷	2		
Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 59 to 80.6%; Storage Temperature Range: -4 to 104%; Non-Operating Humidity Range: 10 to 95% RH (non-condensing); Operating Humidity Operating Range: 20 to 70% RH (non-condensing)				
Security Management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3				

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴First Copy Out and Copy Speed measured using ISO/IEC 29183, while scanning to file from ADF. Exact speed varies depending on the system configuration, advocument complexity. ⁴First Copy Out and Copy Speed measured using ISO/IEC 29183, while scanning to file from ADF. Exact speed varies depending on the system configuration, driver, and document complexity. ⁵Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser let or HP Color Laser let devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁷HP recommends that the number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser let or HP Color Laser let devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁷HP recommends that the number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser let or HP color Laser let devices, and factors including supplies relpacement intervals and device life over an extended warranty period. ⁴With tours cantridges ¹⁰Introductory cartridges included, yields ~1200 color composite (C/V/M) and black pages. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies ¹¹Power requirements are base

Learn more at hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linux Torvalds.

