

Versatile, full-featured multifunction printer delivering superb performance and value.

The feature packed Dell B1265dfw multifunction printer with duplexer offers 4-in-1 versatility, wireless connectivity¹ and performance features – all from one affordable device. Get outstanding value with a low cost-per-page and included Nuance™ PaperPort 14 software for easy document management. Simplify tasks with the automatic document feeder, ID Copy feature and more. For added convenience, this printer supports direct printing from most mobile devices² – so there's no need to transfer files from your phone or tablet to your PC to print.

Designed for reliable performance and value, the Dell B1265dfw is an excellent addition to your office.



Dell™ B1265dfw Mono Laser Multifunction Printer



Dell B1265dfw

Mono Laser Multifunction Printer

Get outstanding value with efficient features

- Print, scan, copy and fax from one affordable, easy-to-use wireless multifunction printer¹. WiFi installation is simple and hassle-free with Dell Printer Easy WiFi installer.
- Boost productivity and manage documents easily with Nuance[™] PaperPort 14 (included). PaperPort 14 enhances the capabilities of the Dell B1265dfw by transforming paper documents into high-quality, searchable PDF files for easy archiving, organizing and sharing. PaperPort 14 even places all PDF files on your desktop in clearly marked, color-coded folders so information is always at your fingertips.
- Perform efficiently with fast print speeds of up to 29 pages per minute (ppm) (letter)/28 ppm (A4)².
- Minimize effort and save up to 50% of paper use with automatic two-sided printing.
- Tackle multi-page documents easily with the Automatic Document Feeder (ADF) - scan, copy or fax up to 40 sheets handsfree.
- With a touch of the ID copy button on the control panel, you can copy both sides of an ID card onto a single side of paper. Additional copy features include clone copy (printing multiple image copies of the original source onto a single page), poster copy and N-up copy (copying 2 or 4 pages to one side of paper).

 Protect confidential faxes with PIN access, or save paper by using the fax forward function to send faxes directly to your computer.

Convenient printing, direct from mobile devices

- Print documents, web content, photos and more, directly from a variety of mobile devices, such as smartphones and tablets, with:
- Dell Mobile Print app for AndroidTM mobile devices³
- AirPrintTM for iOS mobile devices⁴
- This printer works with Google Cloud Print[™], so you can print on the go from your smartphone or computer using Google Cloud Print enabled apps

Reliable performer, environmentally-conscious design

- Get the performance your business needs with a high duty cycle of up to 20,000 pages per month⁵.
- Minimize upkeep and simplify maintenance with just one toner cartridge to replace. This fuser unit is designed to last the life of the printer.
- The Eco-mode button conserves resources by automatically engaging two-sided printing and reduces toner usage by printing in draft mode.
 Designed with the environment in mind, this printer is RoHS compliant⁶ and ENERGY STAR[®] qualified⁷.



Share your printer on a small network with **built-in Ethernet** and **WiFi** connectivity.



Scan, archive, organize and share searchable PDF files with bundled **Nuance PaperPort 14** software.



Print directly from select mobile devices with **Dell Mobile Print**, **AirPrint** and **Google Cloud Print**.



Tilt the control panel to easily access printer functions.

Dell Printer Easy WiFi Installer

Wireless installation made easy. Enjoy quick and intuitive set up - in 4 clicks!



Insert CD to install Printer Driver and Software. Select 'Setup'. (Driver also available on dell.com/support/printers)



Select 'Wireless' as the Connection Method.



Personalize your printer's identity on the network if required, and click 'Next'.



Click 'Finish'. Your printer is ready to print.



Scan this QR code with your phone to view the Dell Printer Easy WiFi Installer video.

- 1. PC must have a wireless card or be connected to a wireless network and have the printer software installed for proper function.
- 2. Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use.
- 3. The printer and the mobile device must be connected to the same wireless network.
- 4. Air Print-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
- 5. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
- 6. Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003.
- 7. For details on energy efficiency of ENERGY STAR qualified products, refer to: www.energystar.gov

Dell B1265dfw

Mono Laser Multifunction Printer



- 1. Automatic Document Feeder (up to 40 sheets)
- Flatbed scanner
- 3. Tilt-enabled control panel
- 4. 150-sheet output tray
- 5. Ethernet port (rear of printer)
- 6. 250-sheet input tray + 1-sheet multipurpose tray

Consumables

Ship-with toner cartridge capacity¹ 1,000 pages

Standard capacity toner cartridge¹ 1,500 pages

High capacity toner cartridge¹ 2,500 pages

Toner recycling

Free and environmentally responsible toner recycling solutions for all private and business needs. For more information, visit dell.com/recycle.

Warranty and service options

Standard service

1 Year Limited Hardware Warranty² and 1 Year Advanced Exchange Service³

Service upgrade options

2 - 5 years extended Limited Hardware warranty² which includes the corresponding 2 - 5 Years Advanced Exchange Service³

Physical specifications

Dimensions (W x D x H)	Printer: 16.0" x 13.3" x 15.1" (406 mm x 338 mm x 384 mm); Shipping: 19.5" x 16.9" x 18.2" (496 mm x 428 mm x 462 mm)	
Weight	Printer: 24.47 lb (11.1 kg) (with consumables); Shipping: 29.76 lb (13.5 kg)	
Operating environment	Temperature: 50°F to 90°F (10°C to 32°C); Relative Humidity: 20% to 80% RH, Non-Condensing; Altitude: ≤ 8,200 ft (2,500 m)	
Storage	Packaged: Temperature: -4°F to 104°F (-20°C to 40°C); Relative Humidity: 20 to 95% RH; Altitude: ≤ 34,000 ft (10,300 m)	
Acoustics	Printing (simplex mode): < 50 dBA4; Standby mode: < 26 dBA4	

Power specifications

Voltage	
120 vac models	110 to 127 VAC, 50 Hz / 60 Hz nominal
Power consumption	Standby mode: ≤ 50 W/h; Power Saver/Sleep mode: ≤ 3.0 W/h
Environmental compliance	ROHS Compliant ⁵ ; ENERGY STAR qualified ⁶ ; WEEE; ErP Lot 4; ErP Lot 6 Tier 2; REACH; MEL (Mexico)

Supported languages

English, French, German, Italian, Spanish, Danish, Norwegian, Dutch and Swedish

Product certifications

Safety certifications	EN 60950-1/IEC 60950-1, EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; CE Mark (EU), R&TTE Directive (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada), US CFR Title 47, FCC Part 2 and 15 Class B; FDA/DHHS (21CFR, Chapter 1, Subchapter J); NOM (Mexico); SABS/ICASA (South Africa)
Other certifications	WHQL (Windows® 8, Windows 7, Windows 2003, Windows Vista®)

- 1. Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions
- 2. For a copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit dell.com/warranty. For warranty information on other countries, see website: dell.com/servicecontracts and then select the country.
- 3. Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply. 4. Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics Declared noise emission values of computer and business equipment
- 5. Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003.
- 6. For details on energy efficiency of ENERGY STAR® qualified products, refer to: www.energystar.gov

Product S	pecifications	Dell B1265dfw Print, Scan, Copy, Fax
Printer	Print speed	Up to 29 ppm¹ (Letter) and 28 ppm¹ (A4) (actual print speed will vary with use)
specifications	First page out time from Ready state	Less than 8.5 seconds
	Print resolution	600 x 600 dpi (up to 1200 dpi Image Quality)
	User interface	LCD: 16 characters x 2 lines
	Printer language	SPL, PCL6, Host based XPS
	Fonts	HP PCL® 6 Emulation: 93 scalable, 1 bitmap fonts
	Processor speed/memory (RAM)	533 MHz / 128 MB ²
	Memory expansion	Not available
	Maximum duty cycle	20,000 pages per month ³
	Recommended monthly print volume	
Mobile printing		Dell Mobile Print (Android™ OS mobile devices); AirPrint™ (iOS mobile devices), Google Cloud Print™
Printer		Dell Printer Manager, Dell Supplies Ordering Utility, Scan Assistant
management	Carmanantian	Optical (1000 of 100 dai (Calar, Distra) (000 of 10 (M), Distra), (000 dai (Calar, D/M), ADD), Februard, (1000 of 100 dai (Calar, D/M), ADD), (1000 of 100 dai
Scan specifications	Scan resolution	Optical: 1200 x 1200 dpi (Color - Platen), 600 x 600 dpi (B/W - Platen); 600 x 600 dpi (Color, B/W - ADF); Enhanced: 4800 x 4800 dpi
34.5113	Scan utilities/applications	Nuance™ PaperPort v14
	Scanning features	Pull Scan, Scan to PC
	Scan to media (file format)	JPEG, Tiff, BMP, PDF, PNG
	Scan size (max)	Flatbed: 8.2" x 11.7" (208 mm x 297 mm); ADF: 8.2" x 14" (208 mm x 356 mm)
Сору	Copy speed	
specifications	Single-page document	28 copies per minute (cpm)
	Multi-page document (ADF)	21 cpm (Letter), 20 cpm (A4)
	Copy mode	Photo (600 x 600 dpi), Photo and Text (600 x 300dpi), Text (600 x 300 dpi)
	Maximum copies	99
	Reduce/enlarge	25% to 400%
	Copy features	Cloning (Platen only), N-up (2 and 4), Autofit, Collate (ADF only), Poster (Platen only), ID Copy (Platen only), Contrast, Background removal
Fax	Modem speed/Fax transmission speed	Up to 33.6 Kbps
pecifications	Speed dial	Up to 200 locations
	Memory size	8 MB ²
	Fax fetures	Broadcast, Delay/Schedule, Priority, Secure, Forward
	Other fax fetures	Secure fax receive, block junk fax, distinctive ring tone, PC fax send, speed dial
ADF	ADF type	Simplex
	Input/output capacity	Up to 40 sheets (20 lb, 80 g/m²)
	Media size	Width: 5.6" to 8.5" (142 mm to 216 mm); Length: 5.8" to 14" (148 mm to 356 mm)
Connectivity	Interfaces	High Speed USB 2.0, Ethernet 10/100 Base TX
	Wireless	Wireless 802.11 b/g/n
Operating systems	Windows	Microsoft® Windows® 7 (32/64 bit), Windows 2000, Windows XP (32/64 bit), Windows Vista (32/64 bit), Windows 2003 Server (32/64 bit), Windows 2008 Server (32/64 bit),
	Macintosh	Macintosh OS®: 10.5 to 10.8
	Others	Various Linux including Red Hat® enterprise Linux WS, Fedora™, Open SUSE™, Mandriva, Ubuntu, SuSE™, Debian; Novell® NetWare® 5.x, 6.x and later; Various UNIX® including HP-UX, Sun Solaris, IBM® AIX; SAP R/3 4.5B or later; Citrix® XenApp 4.5 - 6.5 support
Paper handling	Standard input sources	250 sheet tray
	Maximum input capacity	251 sheet
	Duplexer	Automatic
		150 sheet bin
	Standard output destination	
	Maximum output capacity	151 sheet
Supported	Standard tray	
media types and sizes	Media types supported	Plain, Thin, Thick, Bond, Cardstock, Recycled, Archive
	Media sizes	A4, Letter, Legal, Executive, Folio, Oficio, ISO B5, JIS B5, A5, A6
	1-sheet multipurpose tray	
	Media types supported	Plain, Thin, Thick, Bond, Cardstock, Cotton, Colored, Pre-Printed, Recycled, Archive, Transparency, Label, Envelope
	Media sizes	A4, Letter, Legal, Executive, Folio, Oficio, ISO B5, JIS B5, A5, A6, Monarch, No.10, DL, C5, Postcard 4x6
	Page layout options	Portrait or Landscape Orientation, Multiple Copies, Multipage Printing (N-up), Poster, Booklet Printing, Watermarks, Collate, Overlay Print Last Page First, Rotation
		•

- 1. Measured in accordance with ISO IEC 27434/35 methodology. Speed may vary depending upon system configuration, software application and document complexity.
 2.1 MB means 1 million bytes; total accessible capacity varies depending on operating environment.
 3. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
 4. Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

©2013 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography